

Google scholar

reconfigure + heterogeneous + (element OR u

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 22,600. (0.16 sec)

Did you mean: **configure** + heterogeneous + (element OR unit) + (network OR matrix OR connection)**Wormhole run-time reconfiguration**

psu.ed

R Bittner, P Athanas - Proceedings of the 1997 ACM fifth ..., 1997 - portal.acm.org

... are many occasions in configurable computing when it is advantageous to **reconfigure** part of a ... where X is the number of operand pairs that may be processed without **reconfiguration**. ... graph topology is mapped onto a computational system consisting of a **heterogeneous** set of ...

Cited by 73 - [Related articles](#) - [All 21 versions](#)**Configuration and control unit for a heterogeneous multi-system**

JL Fox, EE Marquardt - US Patent 4,075,693, 1978 - Google Patents

... multi-system can contain **heterogeneous** processors, No ... bar switches, I/O con- of a central processor and storage means and uses a trol **unit** switches, consoles ... and configura- fers from the problem of being unable to restore the tion control, rather than only **reconfiguration** control ...

Cited by 60 - [Related articles](#) - [All 5 versions](#)**Heterogeneous networking: a new survivability paradigm**

psu.ed

Y Zhang, H Vin, L Alvisi, W Lee, SK ... - Proceedings of the 2001 ..., 2001 - portal.acm.org

... To develop the mechanisms for **heterogeneous** replication, we will build upon the tools for (off-line) switching and migrating ... This is to **reconfigure**, on the fly, the composition of **network** elements. ... Furthermore, dynamic **reconfiguration** can be used as a pre- emptive measure. ...

Cited by 29 - [Related articles](#) - [All 17 versions](#)**Crystalline robots: Self-reconfiguration with compressible unit modules**

D Rus, M Vona - Autonomous Robots, 2001 - Springer

... module concept and show the basic motions that enable a Crystalline robot system to self-**reconfigure**. ... Theorem 1; thus the Crystalline Atom can be the basis for a self-**reconfiguring** robot system ... A **reconfiguration** plan is feasible iff at no time during the execution of the plan does ...

Cited by 153 - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)**[PDF] A 3-D self-reconfigurable structure**

aist.go

S Murata, H Kurokawa, E Yoshida, K Tomita ... - ... on Robotics and ..., 1998 - staff.aist.go.jp

... Such systems are made of many homogeneous/**heterogeneous** mechanical units, but these units must be manually ... disappears, if we regard a pair of the **unit** as the primitive **element** of the ... There are two basic methods of **reconfiguration**: one is movement on a plane, the other is ...

Cited by 202 - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 2 versions](#)**Concept of self-reconfigurable modular robotic system**

S Murata, E Yoshida, H Kurokawa, K Tomita, S ... - Artificial Intelligence in ..., 2001 - Elsevier

... of the first self-reconfigurable systems, where the modules in the system were **heterogeneous** such as ... the following sections, we will explain basic design of module hardware, its self-**reconfiguration** method and ... This motion enables a group of modules to **reconfigure** themselves ...

Cited by 16 - [Related articles](#) - [All 2 versions](#)**[PDF] A study of computational reconfiguration in a process network**

psu.ed

D Webb, A Wendelborn, J Vayssiere - IDEA7, Victor Harbour, South ..., 2000 - Citeseer

... Process **network** nodes can also **reconfigure** by disappearing from the process **network**; [KM77] describe this as ... involves only the **reconfiguring** process and its input and output channels; ... The point here is that, in considering mutation for **reconfiguration** in a separate part of the ...

Cited by 18 - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)**Experiences with open overlays: a middleware approach to network heterogeneity**

kuleuv

P Grace, D Hughes, B Porter, GS Blair, G Coulson, F ... - 2008 - portal.acm.org

... as a basis for determining the conditions under which the system might best be **reconfigured**. ... Figure 7a shows the per-node time required to **reconfigure** between FH and SP spanning ... When **reconfiguring** from FH to SP, **network** power costs an average of 44.2 milliwatt hours of ...

[Cited by 13](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Interconnecting **heterogeneous** nodes in an adaptive computing machine

F Furtak, E Hogenauer, J Scheuermann - Lecture notes in computer ..., 2004 - Springer

... state reflects the fact that input buffers are usually empty at system initialization/**reconfiguration**. ... this capability, the node wrapper makes available to the execution **unit** the identities of ... distributed mechanism for handling streaming data in a system with **heterogeneous** nodes. ...

[Cited by 7](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

Quantitative assessment of large **heterogeneous** R&D networks: the case of ...

RJW Tijssen - Research Policy, 1998 - Elsevier

... Such **heterogeneous** networks tend to play a crucial role in facilitating cross-sectoral communication and interaction ... To this end, R&D networking was included as a separate **element** in a series of ... article presents the results of such a follow-up study on the R&D **network** in the ...

[Cited by 38](#) - [Related articles](#) - [All 5 versions](#)

Did you mean to search for: **configure** + heterogeneous + (element OR unit) + (network OR matrix OR connection)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

reconfigure + heterogeneous + (element OR unit) + (network OR matrix OR connection)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

reconfigure + (heterogeneous OR different) +

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 47,700. (0.14 sec)

Did you mean: **configure** + (heterogeneous OR different) + connection + functions**[PDF] Routing of multipoint connections**

uni-kar

BM Waxman - IEEE journal on selected areas in ..., 1988 - www.itl.uni-karlsruhe.de... 2). Note that the algorithms in A may or may not be allowed to use **reconfiguration**, depending on ... 5 and 6. For these experiments, five **different** 25 node random graphs were generated according to ... if an event was to be an addition or deletion of a node from the **connection**. ...[Cited by 1782](#) - [Related articles](#) - [All 7 versions](#)**[CITATION] Algorithms for reconfigurable networks**

G Gopal, CK Kim, A Weitrib - Teletraffic and Datatraffic in a Period of ..., 1991 - North-Holland

[Cited by 46](#) - [Related articles](#) - [All 2 versions](#)**Reconfiguration with time division multiplexed MIN's for multiprocessor ...**

psu.ed

C Qiao, R Melhem - IEEE Transactions on Parallel ..., 1994 - doi.ieeecomputersociety.org... there is a need to set the switch by using the external signal control-set (as is the case in dynamic **reconfiguration**), the signal ... In order to efficiently partition a set of arbitrary **connections**, which may not be a permutation, into conflict-free subsets, **different** heuristic algorithms ...[Cited by 69](#) - [Related articles](#) - [All 17 versions](#)**Built-in self-test of FPGA interconnect**

pucrs.i

C Stroud, S Wijesuriya, C ... - International Test ..., 1998 - doi.ieeecomputersociety.org... without any overhead, since the BIST logic "disappears" when the circuit is **reconfigured** for its ...To avoid reusing the same wire segments in the **different** logic BIST configurations, we can ... the board or system-level BIST is complete, the test controller must **reconfigure** the FPGA for ...[Cited by 133](#) - [Related articles](#) - [All 7 versions](#)**Self-reconfiguring robots**

psu.ed

D Rus, Z Butler, K Kotay, M Vona - Communications of the ACM, 2002 - portal.acm.org... physical mechanisms allowing modules to dynamically and automatically configure and **reconfigure** themselves into ... Most existing self-**reconfiguring** robot systems are based on the unit-modular ... that would confer a unit-modular robot system with self-**reconfiguration** [6]. Guided ...[Cited by 87](#) - [Related articles](#) - [BL Direct](#) - [All 15 versions](#)**Model-based software synthesis**B Abbott, T Bapty, C Biegl, G Karsai, J ... - IEEE ..., 1993 - doi.ieeecomputersociety.org... is a complex, real-time signal-processing system that runs on a **heterogeneous** network of ... and the model database.7 Because our approach lets users dynamically **reconfigure** the processing ...The **reconfiguration** process is triggered by an event received by a builder object ...[Cited by 59](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)**Programmable connector**

S Farago - US Patent 4,972,470, 1990 - Google Patents

... to inquire and determine the requisite connecting **function** and to **reconfigure** itself accord ... In another embodiment the connector is electrically programmed and later erased for **reconfiguration**. ... the program is either downloaded at every power-on cycle, or **reconfigured** "on the fly" ...[Cited by 55](#) - [Related articles](#) - [All 2 versions](#)**... and method for automatically reconfiguring telephone network resources**

EK Cave, DH Hammond, MJ Polcyn - US Patent 4,959,854, 1990 - Google Patents

... apparatus and method are provided for automatically managing and **reconfiguring** resource modules ... dynamically to. Per-module 302 so as to have that module **reconfigure** itself form ... during said particular telephone connection module 302, can be **reconfigured** any number ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

[CITATION] Mobility support in a wireless ATM network

R Yuan, S Biswas, D Raychaudhuri - Wireless Information Networks, Architecture, Resource ...

[Cited by 34](#) - [Related articles](#) - [BL Direct](#)

[CITATION] Reconfiguration method for a distributed mechanical system

K Tomita, S Murata, E Yoshida, H ... - ... robotic systems 2, 1996 - Springer Verlag

[Cited by 20](#) - [Related articles](#)

Did you mean to search for: ***configure*** + (heterogeneous OR different) + connection + functions

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

reconfigure + heterogeneous + connection + fi

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 20,600. (0.16 sec)

Did you mean: **configure** + heterogeneous + connection + functions**[PDF] Dynamic reconfiguration of streaming graphs on a heterogeneous ...**

psu.ed

M Rutten, EJ Pol, J van Eijndhoven, K Walters, G ... - IS&T/SPIE Electron. ..., 2005 - CiteSeer
 ... simple and easy to use, the interface addresses the key challenge of **reconfiguring** individual tasks ... The Report primitive can also be used to **reconfigure** the task or application on the sole ... once each task will check the location argument value in its shell to allow **reconfiguration**. ...

Cited by 16 - Related articles - View as HTML - All 7 versions

[PDF] Heterogeneous distributed virtual machines in the Harness metacomputing ...

psu.ed

M Migliardi, V Sunderam - Proceedings of IEEE HCW'99, 1999 - CiteSeer
 ... in investigating and developing a mechanism for fault tolerant, dynamic **reconfiguration** and management of ... service baseline (see figure 1, level 4). Users may **reconfigure** the DVM at ... a different implementation of a service for each type of **heterogeneous** computational resource ...

Cited by 11 - Related articles - View as HTML - All 8 versions

Dynamic reconfiguration with I/O abstraction

psu.ed

B Swaminathan, KJ Goldman - Proceedings of the ..., 1995 - doi.ieeecomputersociety.org
 ... **Reconfiguration** Before proceeding with our discussion of dynamic **reconfiguration**, we note that ... grammis environment, along with the **connection** manager, satisfies the requirements identified in Sec- tion 1. Requirement (RI) , colmmunication among **heterogeneous** hosts, is ...

Cited by 10 - Related articles - All 13 versions

[PDF] A 1-V heterogeneous reconfigurable DSP IC for wireless baseband digital ...

psu.ed

H Zhang, V Prabhu, V George, M Wan, M Benes ... - IEEE Journal of Solid- ..., 2000 - CiteSeer
 ... Although the underlying system is **heterogeneous**, the DSP algorithms usually have inherently ... architectures, regular interconnect architecture achieve better routability and less **reconfiguration** overhead. ... channel and hierarchical switchboxes, located at the key **connection** points ...

Cited by 71 - Related articles - View as HTML - BL Direct - All 12 versions

[PDF] Designing an operating system for a heterogeneous reconfigurable SoC

psu.ed

V Nolllet, P Coene, D Verkest, S Vernalde, R ... - ... (RAW), Proceedings of ... - CiteSeer
 ... From their case studies, they derived that the ability to **reconfigure** an FPGA, reserve a ... can do the actual task placement with minimal overhead, by partially **reconfiguring** the cho ... Systems capable of handling run-time **reconfiguration** with hardware that originated from a foreign ...

Cited by 87 - Related articles - View as HTML - All 22 versions

Titan: A tiny task network for dynamically reconfigurable heterogeneous sensor ...

C Lombriser, D Roggen, M Stäger, G Tröster - ... in Verteilten Systemen (..., 2007 - Springer
 ... The Task Manager is the system allowing to **reconfigure** a sensor ... allows only a small number of different task sets to execute, while Titan can be **reconfigured** to a ... to enable Titan to dynamically rearrange single tasks during the execution instead of **reconfiguring** whole nodes ...

Cited by 12 - Related articles - All 2 versions

[PDF] AwareWare: an adaptation middleware for heterogeneous environments

ufpe.br

Q Wang, L Cheng - Proc. of ICC, 2004 - cin.ufpe.br
 ... two basic approaches to achieve a better or consistent QoS in **heterogeneous** networks ... One approach is to dynamically **reconfigure** the middleware itself, thus legacy applications do not ... The other approach is that **reconfiguration** occurs in the application level, which offers more ...

Cited by 5 - Related articles - View as HTML - All 6 versions

[PDF] ... in the development and maintenance of heterogeneous distributed real-time ...

upatras

AS Prayati, AP Kalogerias, K Lorentz, S ... - ... of International Workshop ... - apel.ee.upatras.gr

... and **reconfiguration**. The utilisation of the internet and the provision of e-services to the industry will also have impact ... utilising a client-server architecture in order to easily set-up, change or **reconfigure** a LonWorks network. ... **reconfigured** and self-maintained. ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

Reconfigurable systems in a **heterogeneous** environment

[wiley.c](#)

M Dillinger, S Buljore - ... : architectures, systems, and **functions**, 2003 - [books.google.com](#)

... applicable when only parts of the terminal are being **reconfigured** (eg digital ... 1.2. 3 Network Coupling and **Reconfiguration** Support The integration scheme used for the ... Reconfigurable Systems in a **Heterogeneous** Environment 15 • SF Handover Management Mode Negotiation ...

[Cited by 3](#) - [Related articles](#) - [All 5 versions](#)

[CITATION] Performance investigations of ARMH in a reconfigurable environment

J Luo, E Mohyeldin, N Motte, M Dillinger - SCOUT workshop, Paris, 2003

[Cited by 9](#) - [Related articles](#)

Did you mean to search for: **configure** + heterogeneous + connection + functions

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

reconfigure + function + connection + (available

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 51,300. (0.15 sec)

Did you mean: **configure** + function + connection + (available OR free OR unused)**[PDF] Routing of multipoint connections**

uni-kar

BM Waxman - IEEE journal on selected areas in ..., 1988 - www.iti.uni-karlsruhe.de

... In addition we are given a **function B**: $C \rightarrow Z^+$ which associates a bandwidth with each **connection**. This version comes in two flavors, one which allows **reconfiguration** and a second for which **reconfiguration** is not allowed. ...

Cited by 1762 - [Related articles](#) - [All 7 versions](#)**[CITATION] Algorithms for reconfigurable networks**

G Gopal, CK Kim, A Weitrib - Teletraffic and Datatraffic in a Period of ..., 1991 - North-Holland

Cited by 46 - [Related articles](#) - [All 2 versions](#)**... memory and a means for recovering from failure and reconfiguring a control unit ...**

BC Beardsley, SK Candelaria, BS Powers, ... - US Patent ..., 1995 - Google Patents

... MARK CACHE-A AS UNAVAILABLE MARK NVS-B AS UNAVAILABLE \ 336 **RECONFIGURE** TO USE NVS-A ... cache memory and 20 a system for recovering from failure and **reconfiguring** the control ... 5 is a flow diagram of an illustrative recovery and **reconfiguration** mode in the ...

Cited by 28 - [Related articles](#) - [All 2 versions](#)**... and method for automatically reconfiguring telephone network resources**

EK Cave, DH Hammond, MJ Polcyn - US Patent 4,959,854, 1990 - Google Patents

... appa- tus and method are provided for automatically manag- ing and **reconfiguring** resource modules ... dynamlally to.Per- module 302 so as to have that module **reconfigure** itself form ... during said particular telephone con- source module 302, can be **reconfigured** any number ...

Cited by 17 - [Related articles](#) - [All 2 versions](#)**Optimal reconfiguration functions for column or data-bit built-in self-repair**

psu.ed

M Nicolaidis, N Achouri, S Boutobza - ... and Test in Europe-Volume 1, 2003 - portal.acm.org

... However, it does not propose BISR circuitry for **reconfiguring** the memory. ... The circuit has a similar complexity as the sequential **reconfiguration functions** for local repair. ... The idea is to **reconfigure** the memory inputs/outputs in a dynamic manner, instead of static one. ...

Cited by 18 - [Related articles](#) - [All 16 versions](#)**A reconfigurable concurrent function block model and its implementation in real- ...**

psu.ed

RW Brennan, X Zhang, Y Xu, DH Norrie - Integrated Computer-Aided ..., 2002 - IOS Press

... of ap- proaches to enable real-time distributed systems to automatically **reconfigure** to adapt ... such as how **function** block appli- cations can be configured and **reconfigured** on-the ... ways), though the prototype did not support a means of dynamically **reconfiguring** these applications ...

Cited by 36 - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)**Hot removable and insertion of attachments on fully initialized computer systems**

YC Lien, H Sone, K Sekiya, Y Kanada - US Patent 5,386,567, 1995 - Google Patents

... the resource manager in the system unit shown in these figures would **reconfigure** as before ... display driver information stored by the respective display unit, and the **reconfigured** system would ... to said one or more slots, an arrangement for dynamically **reconfiguring** said computer ...

Cited by 101 - [Related articles](#) - [All 2 versions](#)**Network Dispatcher: A connection router for scalable Internet services**

GDH Hunt, GS Goldszmidt, RP King, R ... - Computer Networks and ..., 1998 - Elsevier

... and (iv) **reconfigure** RRDNS to resume giving out the IP address to new clients. ... the nodeup event causes (i) restart of the SP switch networks on the node (ii) **reconfiguration** of the ... To address this issue Network Dispatcher has been augmented with primary backup **function** [23]. ...

[Cited by 189](#) - [Related articles](#) - [All 3 versions](#)

Reconfiguration with time division multiplexed MIN's for multiprocessor ...

psu.edu

C Qiao, R Melhem - IEEE Transactions on Parallel ..., 1994 - doi.ieeecomputersociety.org

... from 1 to n from left to right (where $n = \log N$ and all log **functions** in this ... set the switch by using the external signal control-set (as is the case in dynamic **reconfiguration**), the signal ... In order to efficiently partition a set of arbitrary **connections**, which may not be a permutation, into ...

[Cited by 69](#) - [Related articles](#) - [All 17 versions](#)

... LUT-based network topologies for dynamic and partial FPGA self-reconfiguration

M Huebner, T Becker, J Becker - Proceedings of the 17th ..., 2004 - portal.acm.org

... With the speed capacity of 66 Mbyte/s it is possible to **reconfigure** one slot in 1.8 ms. ... If a slot has to be **reconfigured**, the response time is smaller than 10 ms. ... A new possibility of **reconfiguring** rectangular shaped areas for a better utilization of the area will be developed on the ...

[Cited by 61](#) - [Related articles](#) - [All 3 versions](#)

Did you mean to search for: **configure** + function + connection + (available OR free OR unused)

Google 

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google